

www.worldweav.com



WorldWeav Product Catalog




Vehicle Covers

Tailored protection for your prized possessions.




Patio Covers

Transform your outdoor living space into a stylish oasis.




Tarp Covers

Versatile and reliable solutions for every weather condition.



Cushion Covers

Elevate your outdoor seating with custom designs.



Auto Covers

Personalize your outdoor gear for a unique touch.



Vehicle Covers

The items that add structure, security & protect your investments.

Craftsmanship Meets Customization

TABLE OF ***CONTENTS***




Car Covers Collections & Installation	04
Car Covers	05
Motorsport Covers Collections & Installation	06
Motorsport Covers & Sizes	07
Snowmobile Covers Collections & Installation	08
Snowmobile Covers & Sizes	09
Universal Boat Collections & Installation	10
Universal Boat Covers & Sizes	11
Semi-custom Boat Covers	12
Jet Ski Covers Collections & Installation	14
Jet Ski Covers & Sizes	15

Comparisons by Collections	Supreme	Elite	5 Layers	Proguard
Fabric	Inner Lining Softness	Inner Lining Softness	Inner Lining Softness	N/A
Technology	SEAL-TEC Technology (5 layer cover)	High Grade Polypropylene Fabric	Mixed Polypropylene/ Cotton Fabric	Polypropylene Cotton Mix
Color Options	Black, Blue, Grey	Grey	Grey	Grey
Warranty	Lifetime	10 Years	5 Years	2 Years
Durability & Thickness	★★★★★	★★★★★	★★★★	★★★
Breathability	★★★★★	★★★	★★	★
Sun/UV Protection	★★★★★	★★★★★	★★★★	★★★
Waterproof Protection	★★★★★	★★★★★	★★★★	★★★
Extra items	Straps, Storage Bag, Lock & Cable Set, Antenna Reinforcement Patch	Storage Bag, Lock & Cable Set, Antenna Reinforcement Patch	Storage Bag, Antenna Reinforcement Patch	Storage Bag


INSTALATION



1 Make sure your vehicle is clear of any dust or dirt particles, so they do not get trapped in between the cover ad your vehicle surface.



4. Now, roll the front of the cover towards the hood of your vehicle unrolling the side as you move forward. Do the same for the other side of your vehicle.



2 Carefully remove your SealSkin Cover from the carrying case on the top of your vehicle with the front of the cover facing the front of your vehicle, being careful it does not touch the ground. We suggest beginning towards the rear of your vehicle.



5. Pull the front edge of the cover underneath your front bumper. Adjust the cover where needed to ensure that all areas are covered.



3. Slowly unroll the cover down the middle of the vehicle towards the back and cover the rear of the car making sure the edge of the cover is under the bumper.



6. Use the strap and buckle clips, or cable lock system underneath your vehicle to secure the cover and ensure that it does not move around or get blown away. Adjust where necessary.

CAR COVERS



Supreme *Lifetime*

● COLOR BLACK	● COLOR BLUE	● COLOR LIGHT GREY	AVAILABLE SIZES:
01-210-BLK-0	01-210-BL-0	01-210-G-0	Up to 12.1ft
01-210-BLK-1	01-210-BL-1	01-210-G-1	Up to 13.1ft
01-210-BLK-C	01-210-BL-C	01-210-G-C	(Convertible only) Up to 14.5ft
01-210-BLK-2	01-210-BL-2	01-210-G-2	Up to 14.3ft
01-210-BLK-3	01-210-BL-3	01-210-G-3	Up to 15ft
01-210-BLK-4	01-210-BL-4	01-210-G-4	Up to 16.5ft
01-210-BLK-5	01-210-BL-5	01-210-G-5	Up to 17.8ft
01-210-BLK-6	01-210-BL-6	01-210-G-6	Up to 19ft
01-210-BLK-7	01-210-BL-7	01-210-G-7	Up to 22ft

Elite/ 5Layers *10 Years/5Years*

● COLOR DARK GREY	AVAILABLE SIZES:
01-250-1	Up to 12.63ft
01-250-2	Up to 14.11ft
01-250-3	Up to 15.75ft
01-250-3C	(Corvette Only) Up to 14.41ft
01-250-4	Up to 17.06ft
01-250-5	Up to 18.37ft
01-250-6	Up to 19.85ft
01-250-7	Up to 22ft

Proguard *2 Years*

● COLOR GREY	AVAILABLE SIZES:
01-80-1	Up to 12.63ft
01-80-2	Up to 14.11ft
01-80-3	Up to 15.75ft
01-80-4	Up to 17.06ft
01-80-5	Up to 18.37ft
01-80-6	Up to 19.85ft



SUV COVERS

Supreme *Lifetime*

● COLOR BLACK	● COLOR BLUE	● COLOR LIGHT GREY	AVAILABLE SIZES:
02-210-BLK-0	02-210-BL-0	02-210-G-0	Up to 13.5ft
02-210-BLK-1	02-210-BL-1	02-210-G-1	Up to 15ft
02-210-BLK-2	02-210-BL-2	02-210-G-2	Up to 16.2ft
02-210-BLK-3	02-210-BL-3	02-210-G-3	Up to 17.2ft
02-210-BLK-4	02-210-BL-4	02-210-G-4	Up to 18.2ft
02-210-BLK-5	02-210-BL-5	02-210-G-5	Up to 19ft
02-210-BLK-6	02-210-BL-6	02-210-G-6	Up to 20ft
02-210-BLK-7	02-210-BL-7	02-210-G-7	Up to 22ft

Elite/ 5Layers *10 Years/5Years*

● COLOR DARK GREY	AVAILABLE SIZES:
02-250-2	Up to 14.27ft
02-250-3	Up to 14.76ft
02-250-4	Up to 16.57ft
02-250-5	Up to 18.37ft
02-250-6	Up to 22.47ft

Proguard *2 Years*

● COLOR GREY	AVAILABLE SIZES:
02-80-2	Up to 14.27ft
02-80-3	Up to 14.76ft
02-80-4	Up to 16.57ft
02-80-5	Up to 18.37ft
02-80-6	Up to 22.47ft

TRUCK COVERS



Supreme *Lifetime*

● COLOR BLACK	● COLOR BLUE	● COLOR LIGHT GREY	AVAILABLE SIZES:
03-210-BLK-0	03-210-BL-0	03-210-G-0	Up to 17.83ft
03-210-BLK-1	03-210-BL-1	03-210-G-1	Up to 17.41ft
03-210-BLK-2	03-210-BL-2	03-210-G-2	Up to 19.41ft
03-210-BLK-3C	03-210-BL-3C	03-210-G-3C	Up to 15.83ft
03-210-BLK-3	03-210-BL-3	03-210-G-3	Up to 19.41ft
03-210-BLK-4	03-210-BL-4	03-210-G-4	Up to 21ft
03-210-BLK-5	03-210-BL-5	03-210-G-5	Up to 21ft
03-210-BLK-6	03-210-BL-6	03-210-G-6	Up to 22ft
03-210-BLK-7	03-210-BL-7	03-210-G-7	Up to 19.41ft

Elite/ 5Layers *10 Years/5Years*

● COLOR DARK GREY	AVAILABLE SIZES:
02-250-2	Up to 14.27ft
02-250-3	Up to 14.76ft
02-250-4	Up to 16.57ft
02-250-5	Up to 18.37ft
02-250-6	Up to 22.47ft

Proguard *2 Years*

● COLOR GREY	AVAILABLE SIZES:
02-80-2	Up to 14.27ft
02-80-3	Up to 14.76ft
02-80-4	Up to 16.57ft
02-80-5	Up to 18.37ft
02-80-6	Up to 22.47ft



VAN COVERS

Elite *10 Years*

● COLOR DARK GREY	AVAILABLE SIZES:
02-250-2	Up to 14.27ft
02-250-3	Up to 14.76ft
02-250-4	Up to 16.57ft
02-250-5	Up to 18.37ft
02-250-6	Up to 22.47ft

Proguard *2 Years*

● COLOR GREY	AVAILABLE SIZES:
02-80-2	Up to 14.27ft
02-80-3	Up to 14.76ft
02-80-4	Up to 16.57ft
02-80-5	Up to 18.37ft
02-80-6	Up to 22.47ft

Elite - High Top Van Covers *10 Years*


● COLOR DARK GREY	AVAILABLE SIZES:
05-250-1	Up to 18' w/24" bubble top 216" L x 82" W x 73" H
05-250-2	Up to 19' w/24" bubble top 240" L x 84" W x 84" H
05-250-3	Up to 21' w/36" bubble top 260" L x 84" W x 96" H
05-250-4	Up to 24' w/36" bubble top 288" L x 96" W x 96" H
05-250-5	Up to 27' w/36" bubble top 324" L x 96" W x 96" H

Comparisons by Collections	Supreme	Proguard
Speed Rated	★★★★★	★★★
Technology	SEAL-TEC Technology (5 layer cover)	High Grade Polypropylene Fabric
Color Options	<u>Motorsport, Scooters:</u> Dark Grey <u>UTV, ATV:</u> Black	<u>Motorsport, Scooters:</u> Grey <u>UTV, ATV:</u> Green
Warranty	10 Years	2 Years
Durability & Thickness	★★★★★	★★
Breathability	★★★★★	★
Sun/UV Protection	★★★★★	★★
Waterproof Protection	★★★★★	★★
Extra items	Storage Bag, Antenna Reinforcement Patch	Storage Bag


INSTALLATION



1 Ensure your motorcycle is clear of dust or dirt particles so they do not get trapped between the cover and your motorsport's surface.



4 Now, roll the front of the cover towards your motorcycle's hood, unrolling the side as you move forward. Next, do the same for the other side of your motorcycle. Adjust the cover where needed to ensure that all areas are covered.




2 Carefully remove your SealSkin Cover from the carrying case on the top of your motorcycle with the front of the cover facing the front of your motorcycle, being careful it does not touch the ground. We suggest beginning towards the rear of your motorcycle.



5 Pull the front edge of the cover underneath your front bumper.



3 Slowly unroll the cover down the middle of the motorcycle towards the back and cover the rear, ensuring the edge of the cover is under the bumper.



6 Use the cable lock system under your motorcycle to secure the cover and ensure it does not move around or get blown away. Adjust where necessary.

MOTORSPORT COVERS



Supreme 10 Years

- COLOR DARK GREY** AVAILABLE SIZES:
 - 04-250-2 Up to 6.67ft
 - 04-250-3 Up to 7.50ft
 - 04-250-4 Up to 8.07ft
 - 04-250-5 Up to 9.17ft
 - 04-250-6 Up to 10.00ft

Proguard 2 Years

- COLOR GREY** AVAILABLE SIZES:
 - 04-80-2 Up to 6.67ft
 - 04-80-3 Up to 7.50ft
 - 04-80-4 Up to 8.07ft
 - 04-80-5 Up to 9.17ft
 - 04-80-6 Up to 10.00ft

Trike 10 Years

- COLOR BLACK**
 - SSTRBK1
 - SSTRBK2

ATV COVERS



Supreme 10 Years

- COLOR BLACK** AVAILABLE SIZES:
 - AT-B1 Up to 83in
 - AT-B2 Up to 86in
 - AT-B3 Up to 93in

Proguard 2 Years

- COLOR OLIVE** AVAILABLE SIZES:
 - EOG-A1 77"x48"x31"
 - EOG-A2 82"x48"x31"
 - EOG-A3 86"x49"x33"
 - EOG-A4 99"x49"x33"

SCOOTER COVERS



Supreme 10 Years

- COLOR DARK GREY** AVAILABLE SIZES:
 - 04-250-2 Up to 6.67ft
 - 04-250-3 Up to 7.50ft
 - 04-250-4 Up to 8.07ft
 - 04-250-5 Up to 9.17ft
 - 04-250-6 Up to 10.00ft

Proguard 2 Years

- COLOR GREY** AVAILABLE SIZES:
 - 04-80-2 Up to 6.67ft
 - 04-80-3 Up to 7.50ft
 - 04-80-4 Up to 8.07ft
 - 04-80-5 Up to 9.17ft
 - 04-80-6 Up to 10.00ft

UTV COVERS



Supreme 10 Years

- COLOR BLACK** AVAILABLE SIZES:
 - UT-B1 Up to 120"L with roll cage
 - UT-B2 Up to 150"L with roll cage
 - UT-B3 Up to 160"L with roll cage

Proguard 2 Years

- COLOR GREEN** AVAILABLE SIZES:
 - EOG-UT1 Up to 120"L with roll cage
 - EOG-UT2 Up to 150"L with roll cage

ATV SIZES

Snowmobile Covers Specification:

AT-B1



Covers up to 83" Long

AT-B2



Covers up to 86" Long

AT-B3




Covers up to 93" Long




Comparisons by Collections	Elite	5 Layer	Proguard
Fabric	Inner Lining Softness	Inner Lining Softness	Inner Lining Softness
Technology	SEAL-TEC Technology (5 layer cover)	Mixed Polypropylene/ Cotton Fabric	High Grade Polypropylene Fabric
Color Options	Black	Grey-Black	Black
Warranty	10 Years	5 Years	2 Years
Durability & Thickness	★★★★★	★★★★	★★
Breathability	★★★	★★	★
Sun/UV Protection	★★★★★	★★★★	★★
Waterproof Protection	★★★★★	★★★★	★★
Extra items	Storage Bag, Antenna Reinforcement Patch	Storage Bag, John Deere Liquifire Straps	Storage Bag


INSTALATION




1. Cover any sharp points (such as a windshield corner) with a cloth or a sponge to avoid stressing your cover when it is stretched tight across your snowmobile.




2. Find the label with arrows sewn into the hem of the cover—this is the front of your cover. Now stretch the cover down over your snowmobile, ensuring the front struts are covered. There are straps and buckles for securing the cover's front corners to the sled's struts. Find these straps and buckles, run the male pin around each strut, and clip it to the corresponding female buckle. Pull the strap tight to secure it.



3. Locate the strap [B] in the middle of your cover. From where the strap attaches to the cover, run the strap end with the male buckle under your snowmobile and then back up to clip it into the female buckle on the opposite side.




4. Run the forward strap [A] under your snowmobile behind the ski struts and connect it into the buckle on the opposite side.



5. Run the rear strap [C] under the tail of your snowmobile into the buckle on the opposite side.



6. Tighten ALL the straps as necessary on the opposite side of the snowmobile for a tight fit.



SNOWMOBILE COVER



Supreme *10 Years*

● COLOR GRAY BLACK	AVAILABLE SIZES:
S2T-G0	100"L x 51"W x 48"H
S2T-G1	115"L x 51"W x 48"H
S2T-G2	130"L x 51"W x 48"H
S2T-G3	145"L x 51"W x 48"H

Elite *5 Years*

● COLOR GREY BLACK	AVAILABLE SIZES:
S2T-G0	100"L x 51"W x 48"H
S2T-G1	115"L x 51"W x 48"H
S2T-G2	130"L x 51"W x 48"H
S2T-G3	145"L x 51"W x 48"H

Proguard *2 Years*

● COLOR BLACK	AVAILABLE SIZES:
EBK-SM0	100"L x 51"W x 48"H
EBK-SM1	115"L x 51"W x 48"H
EBK-SM2	130"L x 51"W x 48"H
EBK-SM3	145"L x 51"W x 48"H

SNOWMOBILE SIZES

Snowmobile Covers Specification:

S2T-G0



Covers up to 100" Long

S2T-G1



Covers up to 115" Long

S2T-G2



Covers up to 130" Long

S2T-G3



Covers up to 145" Long



Comparisons by Collections	Supreme	Elite
Trailering	★★★★★	★★★
Technology	SEAL-TEC Technology (5 layer cover)	High Grade Polypropylene Fabric
Color Options	Grey, Navy Blue, Ocean Blue	Grey, Navy Blue, Ocean Blue
Warranty	10 Years	5 Years
Durability & Thickness	★★★★★	★★★★★
Breathability	★★★★★	★★★
Sun/UV Protection	★★★★★	★★★★★
Waterproof Protection	★★★★★	★★★★★
Extra items	Storage Bag, Trailering Straps	Storage Bag, Trailering Straps


INSTALLATION





1. Begin by placing the bow (front) end of cover end with sewn in tag marked "front") loosely over the bow and unroll toward stern (back) of the boat over the T-Top, between antennas (if applicable).



2. Working from side to side, spread cover down the sides of the boat. If applicable, locate the antenna opening, undo the hook and loop closure, and slide the antennas through the opening. Adjust the cover from bow to stern and from side to side so the cover is centered. Fasten and close the hook and loop opening over the antennas (Or outriggers).




3. From either side of the boat tie off one side of the sewn-in draw rope (see photo) securely. Close hook and loop flap over now. Proceed to another side of the boat and connect Rope Ratchet to the drawn rope by trying to loop at one end of the drawn rope and installing it over the hook on the end of the Rope Ratchet. Thread other ends of the draw rope through the Rope Ratchet and pull to tighten securely. The Rope Ratchet position should be adjusted so that the hook and loop flap can close over Rope Ratchet. Failure to close the hook and loop flap over Rope Ratchet could cause damage to the boat.



4. Attach the nylon straps to the quick-release buckles. Thread nylon strap through the quick-release buckle (see threading diagram). If the strap is threaded correctly through the buckle, the the strap will lock in place when tension is applied.



5. After threading the straps through the quick-release buckles reconnect the buckles to both sides of the boat cover.



6. Tighten down the cover by pulling it down on the ends of the straps. Tighten both sides of the cover evenly. **DO NOT OVERTIGHTEN.**



7. A self-adhesive, reinforcement kit is provided. Cut reinforcement patch to size desired, reel backing from patch material (see photo) and place it onto the underside of the cover. Reinforcement the material should be placed in areas where sharp edges could possibly cut or wear a cover, such as the corners of T-Top, windshields, trolling motors, etc.



8. Upon completion of the installation close both zippers located on each side of the cover. Zippers are provided for easy access to the boat while covered.

BOAT COVERS



Supreme 10 Years / **Elite** 5 Years

COLOR GREY	COLOR NAVY BLUE	COLOR OCEAN BLUE	COLOR SILVER	AVAILABLE SIZES
SSUG0	SSUB0	SSUOB0	SSUS0	12'-14'x68"
SSUG1	SSUB1	SSUOB1	SSUS1	14'-16'x72"
SSUG2	SSUB2	SSUOB2	SSUS2	14'-16'x90"
SSUG3	SSUB3	SSUOB3	SSUS3	16'-18.5'x98"
SSUG4	SSUB4	SSUOB4	SSUS4	17'-19'x100"
SSUG5	SSUB5	SSUOB5	SSUS5	20'-22'x106"
SSUG6	SSUB6	SSUOB6	SSUS6	22'-24'x116"

BOAT SIZES

Boat Covers Specification:

	SSUG0	12' - 14'L beam width to 68"		V-hull fishing boats				
	SSUG1	14' - 16'L beam width to 72"		V-hull fishing boats				
	SSUG2	14' - 16'L beam width to 90"		V-hull runabouts outboards and I/O		V-hull runabouts outboards and I/O		Aluminum bass boats
	SSUG3	16' - 18.5'L beam width to 98"		Fish and ski boats		Pro-style bass boats		
	SSUG4	17' - 19'L beam width to 102"		V-hull runabouts outboards and I/O				
	SSUG5	20' - 22'L beam width to 106"		V-hull runabouts outboards and I/O				
	SSUG6	22' - 24'L beam width to 116"		V-hull runabouts outboards and I/O				


JON BOAT COVERS



Supreme 10 Years / **Elite** 5 Years

- **COLOR GREY** **AVAILABLE SIZES:**
- 04-JB-10-GY Up to 10' 5" Long and 54" Wide
- 04-JB-12-GY Up to 12' 5" Long and 54" Wide
- 04-JB-14-GY Up to 14' 5" Long and 60" Wide

TRI-HULL BOAT COVER



Supreme 10 Years / **Elite** 5 Years

- **COLOR GREY** **AVAILABLE SIZES:**
- 04-THIO-15-GY Up to 15'6" Long and 80" Wide
- 04-THIO-16-GY Up to 16'6" Long and 86" Wide
- 04-THIO-17-GY Up to 17'6" Long and 87" Wide
- 04-THIO-18-GY Up to 18'6" Long and 92" Wide
- 04-THIO-19-GY Up to 19'6" Long and 102" Wide

WHALER BOAT COVER



Supreme 10 Years / **Elite** 5 Years

- | | | | |
|---------------------|--------------------------|---------------------------|-------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSWG13 | SSWB13 | SSWOB13 | Up to 13'5" Long and 72" Wide |
| SSWG15 | SSWB15 | SSWOB15 | Up to 15'5" Long and 74" Wide |
| SSWG17 | SSWB17 | SSWOB17 | Up to 17'5" Long and 82" Wide |
| SSWG19 | SSWB19 | SSWOB19 | Up to 19'5" Long and 92" Wide |
| SSWG20 | SSWB20 | SSWOB20 | Up to 20'5" Long and 96" Wide |

KAYAK BOAT COVER



Supreme 10 Years / **Elite** 5 Years

- **COLOR GREY** **AVAILABLE SIZES:**
- 04-KC-10-GY Up to 10' Long and 110" Girth
- 04-KC-13-GY Up to 13' Long and 110" Girth
- 04-KC-16-GY Up to 16' Long and 110" Girth
- 04-KC-18-GY Up to 18' Long and 110" Girth

CENTER CONSOLE BOAT COVER



Supreme 10 Years / **Elite** 5 Years

- | | | | |
|---------------------|--------------------------|---------------------------|---------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSCCG17 | SSCCB17 | SSCCOB17 | Up to 17'6" Long and 92" Wide |
| SSCCG18 | SSCCB18 | SSCCOB18 | Up to 18'6" Long and 88" Wide |
| SSCCG19 | SSCCB19 | SSCCOB19 | Up to 19'6" Long and 102" Wide |
| SSCCG20 | SSCCB20 | SSCCOB20 | Up to 20'6" Long and 102" Wide |
| SSCCG21 | SSCCB21 | SSCCOB21 | Up to 21'6" Long and 102" Wide |
| SSCCG22 | SSCCB22 | SSCCOB22 | Up to 22'6" Long and 106" Wide |
| SSCCG23 | SSCCB23 | SSCCOB23 | Up to 23' 6" Long and 106" Wide |
| SSCCG24 | SSCCB24 | SSCCOB24 | Up to 24' 6" Long and 106" Wide |

TOWER BOAT COVER




Supreme 10 Years / **Elite** 5 Years

- | | | |
|---------------------|--------------------------|--------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | AVAILABLE SIZES: |
| SSTCG18 | SSTCB18 | Up to 18'5" Long and 90" Wide |
| SSTCG19 | SSTCB19 | Up to 19'5" Long and 90" Wide |
| SSTCG20 | SSTCB20 | Up to 20'5" Long and 96" Wide |
| SSTCG21 | SSTCB21 | Up to 21'5" Long and 102" Wide |
| SSTCG22 | SSTCB22 | Up to 22'5" Long and 102" Wide |
| SSTCG23 | SSTCB23 | Up to 23'5" Long and 102" Wide |
| SSTCG24 | SSTCB24 | Up to 24'5" Long and 102" Wide |

SEMI CUSTOM BOAT COVERS

INFLATABLE BOAT COVER



Supreme *10 Years* /Elite *5 Years*

- | | |
|---------------------|--------------------------------|
| ● COLOR GREY | AVAILABLE SIZES: |
| 04-INF-9-GY | Up to 9' 5" Long and 60" Wide |
| 04-INF-10-GY | Up to 10' 5" Long and 66" Wide |
| 04-INF-11-GY | Up to 11' 5" Long and 68" Wide |
| 04-INF-12-GY | Up to 12' 5" Long and 74" Wide |

PONTOON BOAT COVER



Supreme *10 Years* /Elite *5 Years*

- | | | | |
|---------------------|--------------------------|---------------------------|----------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSSPG20 | SSSPB20 | SSSPOB20 | Up to 18',19',20' Long |
| SSSPG24 | SSSPB24 | SSSPOB24 | Up to 21',22',23',24' Long |
| SSSPG28 | SSSPB28 | SSSPOB28 | Up to 25',26',27',28' Long |

DECK BOAT COVER



Supreme *10 Years* /Elite *5 Years*

- | | | | |
|---------------------|--------------------------|---------------------------|---------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSDBG18 | SSDBB18 | SSDBOB18 | Up to 18' 5" Long and 92" Wide |
| SSDBG19 | SSDBB19 | SSDBOB19 | Up to 19' 5" Long and 96" Wide |
| SSDBG20 | SSDBB20 | SSDBOB20 | Up to 20' 5" Long and 102" Wide |
| SSDBG21 | SSDBB21 | SSDBOB21 | Up to 21' 5" Long and 102" Wide |
| SSDBG22 | SSDBB22 | SSDBOB22 | Up to 22' 5" Long and 102" Wide |
| SSDBG23 | SSDBB23 | SSDBOB23 | Up to 23' 5" Long and 102" Wide |
| SSDBG24 | SSDBB24 | SSDBOB24 | Up to 24' 5" Long and 102" Wide |
| SSDBG25 | SSDBB25 | SSDBOB25 | Up to 25' 5" Long and 102" Wide |
| SSDBG26 | SSDBB26 | SSDBOB26 | Up to 26' 5" Long and 102" Wide |



WALK AROUND BOAT COVER

Supreme *10 Years* /Elite *5 Years*


- | | | | |
|---------------------|--------------------------|---------------------------|--------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSWAG20 | SSWAB20 | SSWAOB20 | Up to 20'6" Long and 98" Wide |
| SSWAG21 | SSWAB21 | SSWAOB21 | Up to 21'6" Long and 100" Wide |
| SSWAG22 | SSWAB22 | SSWAOB22 | Up to 22'6" Long and 104" Wide |
| SSWAG23 | SSWAB23 | SSWAOB23 | Up to 23'6" Long and 104" Wide |
| SSWAG24 | SSWAB24 | SSWAOB24 | Up to 24'6" Long and 104" Wide |
| SSWAG25 | SSWAB25 | SSWAOB25 | Up to 25'6" Long and 106" Wide |
| SSWAG26 | SSWAB26 | SSWAOB26 | Up to 26'6" Long and 112" Wide |
| SSWAG27 | SSWAB27 | SSWAOB27 | Up to 27'6" Long and 112" Wide |
| SSWAG28 | SSWAB28 | SSWAOB28 | Up to 28'6" Long and 112" Wide |

T-TOP BOAT COVERS



Supreme *10 Years* /Elite *5 Years*

- | | | | |
|---------------------|--------------------------|---------------------------|---------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSTTG18 | SSTTB18 | SSTTOB18 | Up to 18' 5" Long and 102" Wide |
| SSTTG19 | SSTTB19 | SSTTOB19 | Up to 19' 5" Long and 102" Wide |
| SSTTG20 | SSTTB20 | SSTTOB20 | Up to 20' 5" Long and 102" Wide |
| SSTTG21 | SSTTB21 | SSTTOB21 | Up to 21' 5" Long and 102" Wide |
| SSTTG22 | SSTTB22 | SSTTOB22 | Up to 22' 5" Long and 102" Wide |
| SSTTG23 | SSTTB23 | SSTTOB23 | Up to 23' 5" Long and 102" Wide |
| SSTTG24 | SSTTB24 | SSTTOB24 | Up to 24' 5" Long and 102" Wide |
| SSTTG25 | SSTTB25 | SSTTOB25 | Up to 25' 5" Long and 108" Wide |
| SSTTG26 | SSTTB26 | SSTTOB26 | Up to 26' 5" Long and 108" Wide |
| SSTTG27 | SSTTB27 | SSTTOB27 | Up to 27' 5" Long and 108" Wide |
| SSTTG28 | SSTTB28 | SSTTOB28 | Up to 28' 5" Long and 108" Wide |
| SSTTG29 | SSTTB29 | SSTTOB29 | Up to 29' 5" Long and 120" Wide |
| SSTTG30 | SSTTB30 | SSTTOB30 | Up to 30' 5" Long and 120" Wide |
| SSTTG31 | SSTTB31 | SSTTOB31 | Up to 31' 5" Long and 120" Wide |
| SSTTG32 | SSTTB32 | SSTTOB32 | Up to 32' 5" Long and 120" Wide |
| SSTTG33 | SSTTB33 | SSTTOB33 | Up to 33' 5" Long and 120" Wide |
| SSTTG34 | SSTTB34 | SSTTOB34 | Up to 34' 5" Long and 120" Wide |



V-HULL CRUISER BOAT COVER

Supreme *10 Years* /Elite *5 Years*


- | | | | |
|---------------------|--------------------------|---------------------------|--------------------------------------|
| ● COLOR GREY | ● COLOR NAVY BLUE | ● COLOR OCEAN BLUE | AVAILABLE SIZES: |
| SSVCG17 | SSVCB17 | SSVCOB17 | Boats up to 17'6" Long and 88" Wide |
| SSVCG18 | SSVCB18 | SSVCOB18 | Boats up to 18'6" Long and 92" Wide |
| SSVCG19 | SSVCB19 | SSVCOB19 | Boats up to 19'6" Long and 94" Wide |
| SSVCG20 | SSVCB20 | SSVCOB20 | Boats up to 20'6" Long and 96" Wide |
| SSVCG21 | SSVCB21 | SSVCOB21 | Boats up to 21'6" Long and 96" Wide |
| SSVCG22 | SSVCB22 | SSVCOB22 | Boats up to 22'6" Long and 96" Wide |
| SSVCG23 | SSVCB23 | SSVCOB23 | Boats up to 23'6" Long and 106" Wide |
| SSVCG24 | SSVCB24 | SSVCOB24 | Boats up to 24'6" Long and 106" Wide |
| SSVCG25 | SSVCB25 | SSVCOB25 | Boats up to 25'6" Long and 106" Wide |
| SSVCG26 | SSVCB26 | SSVCOB26 | Boats up to 26'6" Long and 108" Wide |
| SSVCG28 | SSVCB28 | SSVCOB28 | Boats up to 28'6" Long and 116" Wide |
| SSVCG30 | SSVCB30 | SSVCOB30 | Boats up to 30'6" Long and 116" Wide |

Comparisons by Collections	Supreme	Elite	Proguard
Trailerling	★★★★★	★★★	★
Technology	SEAL-TEC Technology (5 layer cover)	High Grade Polypropylene Fabric	High Grade Polypropylene Fabric
Color Options	Grey, Navy Blue, Ocean Blue	Grey, Navy Blue, Ocean Blue	Silver
Warranty	10 Years	5 Years	2 Years
Durability & Thickness	★★★★★	★★★★★	★★
Breathability	★★★★★	★★★	★
Sun/UV Protection	★★★★★	★★★★★	★★
Waterproof Protection	★★★★★	★★★★★	★★
Extra items	Storage Bag, Arctic Cat Monte Carlo Straps	Storage Bag, Arctic Cat Monte Carlo Straps	Storage Bag

INSTALATION




1. Cover any sharp points (such as a windshield corner) with a cloth or a sponge to avoid stressing your cover when it is stretched tight across your jetski.




4. Run the rear strap [A] under the tail of your jet ski into the buckle on the opposite side. There are three tension panels with webbing and metal hooks to secure the trailering cover. The hooks can be attached to the sled or the trailer.



2. Find the label with arrows sewn into the hem of the cover—this is the front of your cover. Now stretch the cover down over your jet ski, ensuring the front struts are covered. Straps and buckles secure the cover's front corners to the sled's mounts. Find these straps and buckles, run the male pin around each strut, and clip it to the corresponding female buckle. Pull the strap tight to secure it.




5. Run the rear strap [C] under the tail of your jet ski into the buckle on the opposite side. There are three tension panels with webbing and metal hooks to secure the trailering cover. The hooks can be attached to the sled or the trailer.



3. Locate the strap [B] in the middle of your cover. From where the strap attaches to the cover, run the strap end with the male buckle under your 1. Jet ski and then back up to clip it into the female buckle on the opposite side.



6. Tighten ALL the straps as necessary on the opposite side of the jet ski for a tight fit.



JET SKI COVERS



Supreme *10 Years* /Elite *5 Years*

COLOR	COLOR	COLOR	COLOR	AVAILABLE SIZES:
RED/BLACK	BLUE/BLACK	GREY/BLACK	YELLOW/BLACK	
J2T-R0	J2T-B0	J2T-G0	J2T-Y0	Up to 95"
J2T-R1	J2T-B1	J2T-G1	J2T-Y1	Up to 96"-102"
J2T-R2	J2T-B2	J2T-G2	J2T-Y2	Up to 103"-115"
J2T-R3	J2T-B3	J2T-G3	J2T-Y3	Up to 116"-125"
J2T-R4	J2T-B4	J2T-G4	J2T-Y4	Up to 126"-135"
J2T-R5	J2T-B5	J2T-G5	J2T-Y5	Up to 136"-145"
J2T-R6	J2T-B6	J2T-G6	J2T-Y6	Up to 158"


Proguard *2 Years*

COLOR SILVER	AVAILABLE SIZES:
J1T-S0	Up to 95"
J1T-S1	Up to 96"-102"
J1T-S2	Up to 103"-115"
J1T-S3	Up to 116"-125"
J1T-S4	Up to 126"-135"
J1T-S5	Up to 136"-145"

JET SKI SIZES

Jet Ski Covers Specification:

J2T-R0



Personal watercraft cover up to 95"
(Stand up Jet Ski)

J2T-R1




Personal watercraft cover up to 102" in
length for 1 person (1 Seater Jet Ski)

J2T-R3




Personal watercraft cover up to 115" - 125" in
length for 1-2 persons (2 Seaters Jet Ski)

J2T-R4, J2T-R5



Personal watercraft cover up to 135"-145" in
length for 3 persons (3 Seaters Jet Ski)

J2T-R6



Personal watercraft cover up to 158"
in length for 4 persons (4 Seaters Jet Ski)

